



balmoral engineering

Product Catalogue

Revision 7



balmoralengineering.com.au

info@balmoralengineering.com.au

02 9482 4000



Sections

1

GLOVES



2

TESTING & SERVICE



3

GUARDS & HOSE




4

WARNING MARKERS



5

MATS & COVERS



6

HEIGHT SAFETY & RESCUE



7

CLEANING & ACCESSORIES



8

TOOLS & EQUIPMENT





GLOVES

- Pure Latex Gloves manufactured under **ISO 9001** **ISO 14001**



- Certified to EN 60903, also available in ASTM D120 & AS 2225 (LV)
- Ergonomically shaped excellent strength & durability
- Supreme feel & flexibility
- Outer Protector Gloves custom designed to perfectly complement the Marigold Rubber Insulating Glove



- Manufactured without the use of solvents & hazardous chemicals utilising a proprietary aqueous dipping process



- Acid resistant
- Ozone resistant
- Low temperature resistant
- Comprehensive range of classes, colours, lengths and sizes, including half sizes
- Various cuff styles available including straight, contour and bell



GLOVES

Use the Chart below to determine the appropriate level of protection for your application

Labeling Chart			
Marigold® Natural Rubber Electrical Protection Equipment			
Class Colour	Proof Test Voltage AC/DC	Max. Use Voltage AC/DC	Insulating Rubber Glove Label
00 Beige	2,500 / 10,000	500 / 750	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 00
0 Red	5,000 / 20,000	1,000 / 1,500	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 0
1 White	10,000 / 40,000	7,500 / 11,250	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 1
2 Yellow	20,000 / 50,000	17,000 / 25,500	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 2
3 Green	30,000 / 60,000	26,500 / 39,750	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 3
4 Orange	40,000 / 70,000	36,000 / 54,000	MARIGOLD INDUSTRIAL ANSI / ASTM D120 EN60903 TYPE 1 10 CLASS 4

Outer Protector Gloves should always be worn over Rubber Insulating Gloves to prevent mechanical damage to the rubber gloves. The Outer Protector must be properly sized and shaped to avoid the deformation or damage of the Rubber Insulating Glove. The minimum distance between the cuff of the Rubber Insulating Glove and the cuff of the Outer Protector Glove is listed in the table below "Clearance for Outer Protectors".



Clearance Table for Outer Protectors

Glove Class	Min. Distance Between Outer Protectors & Rubber Insulating Gloves	
	inches	mm
00, 0	½	13
1	1	25
2	2	51
3	3	76
4	4	102



GLOVES



Glove Length
280 mm (11 inch)
360 mm (14 inch)
400 mm (16 inch)
460 mm (18 inch)

Glove Size	Nominal Hand Circumference	
7	7 inches	
8	8 inches	203 mm
8½	8½ inches	216 mm
9	9 inches	229 mm
9½	9½ inches	241 mm
10	10 inches	254 mm
10½	10½ inches	267 mm
11	11 inches	279 mm

Tolerance = +/- 13 mm

* Allow an extra half inch if cotton inners are to be used



Rubber Insulating Glove Item Number Legend	
	<p>Example :: RIG-4-18-YB-C-10H</p> <p style="text-align: center;">A B C D E F</p> <p>A - Glove type: RIG (Rubber Insulating Glove)</p> <p>B - Class: 00/0/1/2/3/4</p> <p>C - Length: 11/14/16/18 (inches)</p> <p>D - Colour: R/Y/YB/BY (Red, Yellow, Yellow under Black, Black under Yellow}</p> <p>E - Cuff: S/C/B (Straight/Contour/Bell)</p> <p>F - Size: 7/8/8H/9/9H/10/10H/11 (H = ½ sizes)</p>

How to measure

Measure around your hand above the V of the thumb. This gives you the circumference in inches.



GLOVES



Class 00 - 500v Straight Cuff 11 inch

- RIG0011RS7 | Size 7*
- RIG0011RS8 | Size 8
- RIG0011RS8H | Size 8½
- RIG0011RS9 | Size 9
- RIG0011RS9H | Size 9½
- RIG0011RS10 | Size 10
- RIG0011RS10H | Size 10½
- RIG0011RS11 | Size 11



Class 00 - 500v Straight Cuff 14 inch

- RIG0014YS7 | Size 7*
- RIG0014YS8 | Size 8
- RIG0014YS8H | Size 8½
- RIG0014YS9 | Size 9
- RIG0014YS9H | Size 9½
- RIG0014YS10 | Size 10
- RIG0014Y10H | Size 10½
- RIG0014Y11 | Size 11



Class 0 - 1000v Straight Cuff 14 inch

- RIG014YS7 | Size 7*
- RIG014YS8 | Size 8
- RIG014YS8H | Size 8½
- RIG014YS9 | Size 9
- RIG014YS9H | Size 9½
- RIG014YS10 | Size 10
- RIG014YS10H | Size 10½
- RIG014YS11 | Size 11



Class 0 - 1000v Straight Cuff 14 inch

- RIG014BYS8 | Size 8
- RIG014BYS8H | Size 8½
- RIG014BYS9 | Size 9
- RIG014BYS9H | Size 9½
- RIG014BYS10 | Size 10
- RIG014BYS10H | Size 10½
- RIG014BYS11 | Size 11

***Special Order**



Class I - 5kv Straight Cuff 14 inch

- RIG114YBS8 | Size 8
- RIG114YBS8H | Size 8½
- RIG114YBS9 | Size 9
- RIG114YBS9H | Size 9½
- RIG114YBS10 | Size 10
- RIG114YBS10H | Size 10½
- RIG114YBS11 | Size 11



Class 2 - 17kv Bell Cuff 16 inch

- RIG216YBB8 | Size 8
- RIG216YBB8H | Size 8½
- RIG216YBB9 | Size 9
- RIG216YBB9H | Size 9½
- RIG216YBB10 | Size 10
- RIG216YBB10H | Size 10½
- RIG216YBB11 | Size 11



GLOVES



Class 2 - 17kv Straight Cuff 16 inch

- RIG216YBS8 | Size 8
- RIG216YBS8H | Size 8½
- RIG216YBS9 | Size 9
- RIG216YBS9H | Size 9½
- RIG216YBS10 | Size 10
- RIG216YBS10H | Size 10½
- RIG216YBS11 | Size 11



Class 2 - 17kv Contour Cuff 18 inch

- RIG218YBC8 | Size 8
- RIG218YBC8H | Size 8½
- RIG218YBC9 | Size 9
- RIG218YBC9H | Size 9½
- RIG218YBC10 | Size 10
- RIG218YBC10H | Size 10½
- RIG218YBC11 | Size 11



Class 3 - 26.5kv Bell Cuff 16 inch

- RIG316YBB8 | Size 8
- RIG316YBB8H | Size 8½
- RIG316YBB9 | Size 9
- RIG316YBB9H | Size 9½
- RIG316YBB10 | Size 10
- RIG316YBB10H | Size 10½
- RIG316YBB11 | Size 11



Class 3 - 26.5kv Straight Cuff 16 inch

- RIG316YBS8 | Size 8
- RIG316YBS8H | Size 8½
- RIG316YBS9 | Size 9
- RIG316YBS9H | Size 9½
- RIG316YBS10 | Size 10
- RIG316YBS10H | Size 10½
- RIG316YBS11 | Size 11



Class 3 - 26.5kv Contour Cuff 18 inch

- RIG318YBC8 | Size 8
- RIG318YBC8H | Size 8½
- RIG318YBC9 | Size 9
- RIG318YBC9H | Size 9½
- RIG318YBC10 | Size 10
- RIG318YBC10H | Size 10½
- RIG318YBC11 | Size 11



Class 4 - 36kv Bell Cuff 18 inch

- RIG418YBB9 | Size 9
- RIG418YBB9H | Size 9½
- RIG418YBB10 | Size 10
- RIG418YBB10H | Size 10½
- RIG418YBB11 | Size 11



GLOVES



Class 4 - 36kv Straight Cuff 18 inch

- RIG418YBS9 | Size 9
- RIG418YBS9H | Size 9½
- RIG418YBS10 | Size 10
- RIG418YBS10H | Size 10½
- RIG418YBS11 | Size 11



Class 4 - 36kv Contour Cuff 18 inch

- RIG418YBC9 | Size 9
- RIG418YBC9H | Size 9½
- RIG418YBC10 | Size 10
- RIG418YBC10H | Size 10½
- RIG418YBC11 | Size 11



HV Outer Protector 12 inch - Goatskin

- OUTHVGS8 | Size 8-8½
- OUTHVGS9 | Size 9-9½
- OUTHVGS10 | Size 10-10½
- OUTHVGS11 | Size 11

Note: Choose same size as Marigold Class 1, 2, 3 & 4 gloves



LV Outer Protector 10 inch - Goatskin Velcro Cotton Strap Kevlar Thread

- OUTLVGS7 | Size 7
- OUTLVGS8 | Size 8-8½
- OUTLVGS9 | Size 9-9½
- OUTLVGS10 | Size 10-10½
- OUTLVGS11 | Size 11

Note: Choose same size as Marigold Class 00 and 0 gloves

Arc Flash Safety Design



LV Outer Protector 10 inch - Goatskin Velcro Cotton Strap Polycotton Thread

- OUTLVGS7-A | Size 7
- OUTLVGS8-A | Size 8-8½
- OUTLVGS9-A | Size 9-9½
- OUTLVGS10-A | Size 10-10½
- OUTLVGS11-A | Size 11

Note: Choose same size as Marigold Class 00 and 0 gloves

Arc Flash Rated



Powerflex, Neo Coat LVL4 Flame, LVL5 Cut EN

- PFLEX-8 | Size 8
- PFLEX-9 | Size 9
- PFLEX-10 | Size 10
- PFLEX-11 | Size 11

Note: Choose one size up if using over Marigold Class 00 and 0 Gloves



Inner Liners One Size Fits All

- COT1 | Cotton - Interlock | 10"
- COT2 | PolyCotton - Knitted | 10"
- COT3 | Cotton - Interlock | 14"



GLOVES

LV Glove Bag
2 Pocket Treated Canvas
Velcro Close - Webbing Loops

26012 | 390x210x45

Solid Walls



Hard Base Breathable

LV Glove Bag
1 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26023 | 400x220x75



LV Glove Bag
2 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26016 | 400x220x75



Slimline front pocket suitable for leather storage

LV Glove Bag
3 Pocket Loomstate Canvas
Velcro Close - Webbing Loop

26017 | 400x220x150



Slimline front pocket suitable for leather storage

LV Glove Bag
3 Pocket Treated Canvas
Velcro Close - Plastic Snap Hook

26025 | 380x220x80

Slimline front pocket suitable for leather storage



Quick Dry Mesh

HV Glove & Sleeve Bag
2 Pocket Loomstate Canvas
Velcro Close - Metal Snap Hook

26027 | 700x200x250



HV Glove & Sleeve Bag
3 Pocket Loomstate Canvas
Velcro Close - Metal Snap Hook

26035 | 700x200x250



Slimline front pocket suitable for leather storage

Glove Talc
GLO-TALC | 100g





TESTING & SERVICE

- High voltage testing of Gloves and Sleeves, Mats and Covers
- Testing performed in a controlled laboratory environment
- Increase safety levels in critical PPE equipment
- Comprehensive data logging and reporting



- Testing performed to Australian and International Standards
- Maintain compliance with industry standards
- Automated testing facility with preset functions for full control of parameters and variables
- Serial numbering barcoding and asset tracking available



GUARDS & HOSE

- Unique striped safety feature



- Stamped & rated to comply with Australian and International Standards

- Robust design and construction backed by decades of engineering to ensure the highest quality & safety standards

- Eyelet in bell housing allows locking by cable ties & complies with WHS requirements



- Weather resistance



- Rigid guards or flexible style hose cater for most requirements

- Suitable for use on Power Lines & Wires as visual warning, mechanical protection and electrical insulation





GUARDS & HOSE

Tiger Tails®
Class I - 650v
AS4202 - HDPE



DB35A | 2.5m x 35mm



DB35ARB | 2.5m x 35mm



DB35ARB125 | 1.25m x 35mm



DB45A | 2.5m x 45mm



LS70 | 2m x 70mm

Recommended Products

Wire Guards and Hose



For Stay & Guy Wires (not rated for electrical insulation)

GG | 2m x 45mm | HDPE



For Covering Bonds, Bridges & Jumper Wires

IPEP | 10m x 35mm | EVA | AS4202 Class I 650v



TPP35 | 3m x 35mm | HDPE | AS4202 Class I 650v



TPLBL | AS4202 Class I 650v Label



WARNING MARKERS

- Latest technology articulated 3D design
- Premium High - Vis Reflectors
- Bayonet or Eye Ring fitting available
- Customised flags or marker options available
- Universal clamp fits all lines from 2 - 50mm diameter
- Aerodynamic design, rotates for high impact visibility
- UV stabilised and tough non-conductive plastics
- Anti-creep Clamp design
- Installed with standard Live Line Tools



MATS & COVERS



- EPDM Rubber or PVC material options

- Dual colour material safety options available

- Non-slip & flexible Ground Mats

- Weather resistant



Recycling of off-cuts into firehose when possible

- Crease in Class I PVC style covers to conform to line



Velcro



Stud



Magnetic

- Stamped & rated to comply with Australian and International Standards

- Meets ENA & electrical safety rules and guidelines in most States and Territories



MATS & COVERS

Line Blanket Class 4 - 36kv IEC 61112 - EPDM

2550	914x914x4mm	Plain
2551	914x914x4mm	CW Slot
2552	1150x1150x4mm	Plain
2553	1150x1150x4mm	CW Slot



Compatible with Clamps -
see page 6

Recommended Products

Ground Mats EPDM

1.	181A-1	1mx1mx6mm	Class A	650v	Cut-out
	181A-2	1.2mx1mx6mm	Class A	650v	Plain
3.	181A-3	1.5mx1mx6mm	Class A	650v	Slots
	181A-4	900x900x6mm	Class A	650v	Plain
5.	1813-1	600x600x6mm	Class 3	26.5kv	Plain



Custom cut-outs
available MOQ's apply

Operator Mat

Ground Mats 1mx1mx6mm EPDM

181A*	Class A	650v
1810*	Class 0	1000v
1811*	Class 1	5kv
1812*	Class 2	17kv
1813*	Class 3	26.5kv
1814*	Class 4	36kv

• AS2978
* IEC61111



Ground Mats 10mx1mx6mm EPDM Cut-to-length

181A-ROLL*	Class A	650v
1810-ROLL*	Class 0	1000v
1811-ROLL*	Class 1	5kv
1812-ROLL*	Class 2	17kv
1813-ROLL*	Class 3	26.5kv
1814-ROLL*	Class 4	36kv

• AS2978
* IEC61111



Sold by the metre




Recommended Products

MATS & COVERS


Line Covers
Class II 650v PVC Magnet/Press Studs
AS4202

- 2003 | 1.2mx225mm drop
- 3003 | 1.2mx300mm drop
- 4004 | 1.2mx375mm drop
- 5002 | 1.5mx225mm drop



Line Covers
Class II 650v PVC Studs
AS4202

- 2001 | 1.2mx225mm drop
- 3001 | 1.2mx300mm drop
- 4001 | 1.2mx375mm drop
- 5001 | 1.5mx225mm drop
- 6001 | 1.8mx225mm drop



Line Covers
Class II 650v EPDM Velcro
AS4202

- 2004 | 1.2mx225mm drop
- 2006 | 600x225mm drop
- 2010 | 1mx235mm drop
- 3002 | 1.2mx300mm drop




Cross Arm Covers
Class II 650v
AS4202

- 7001 | 1.2mx375mm drop | PVC Studs
- 7004 | 1.2mx225mm drop | EPDM Velcro
- 7008 | 1.2mx225mm drop | PVC Mag/PStuds
- 7010 | 1mx235mm drop | EPDM Velcro



Comms Cable Covers
Class II 650v
AS4202

- 7002 | 1.2mx225mm | EPDM Velcro
- 8002 | 600x225mm | PVC Studs
- 8006 | 600x225mm | PVC Mag/PStud



Fuse Link Covers
Class II 650v
AS4202

- 8001 | 600x375mm drop | PVC Studs
- 8007 | 850x850mm | PVC Plain
- 8010 | 850x700mm | EPDM Velcro
- 8016 | 400x400mm drop | PVC Studs
- 8020 | 600x375mm drop | PVC Mag





MATS & COVERS

Substation & Switchboard Kits



- 16002 | (9008) (9007) (9019) (181A) (25006) (26031) (YS-211-3-5)
2 x small plain Drapes, 2 x medium plain Drapes, 1 x large plain Drape, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag, 4 x Clamps
- 16003 | (10005) (10006) (181A) (25006) (26031)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag
- 16004 | (10005) (10021) (26031) (YS-211-3-5)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Bag, 4 x Clamps
- 16005 | (10005) (10006) (26031)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Bag
- 16006 | (10029) (10030) (181A) (25006) (26031)
4 x small magnetic Drapes, 2 x large magnetic Drapes, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag

Custom kits available upon application, MOQ's apply

Street Light Column Kits



- 14001 | (23002) (INS-S) (INS-L) (26004)
1 x magnetic Column Cover (pair), 2 x small Inserts, 2 x large Inserts, 1 x Bag
- 14002 | (23002) (INS-S) (INS-L) (181A) (25006) (26031)
1 x magnetic Column Cover (pair), 2 x small Inserts, 2 x large inserts, 1 x Ground Mat, 1 x Velcro Strap, 1 x Bag
- 14003 | (23002) (INS-S) (26004)
1 x magnetic Column Cover (pair), 2 x small Inserts, 1 x Bag

Custom kits available upon application, MOQ's apply



MATS & COVERS




Substation & Switchboard Drapes Class II EPDM 650v




- 9016 | 1mx100mm | plain
- 9017 | 600x300mm | plain
- 9018 | 300x300mm | plain
- 10007 | 300x225mm | eyelets
- 10008 | 450x300mm | eyelets
- 10009 | 600x450mm | eyelets
- 10010 | 900x600mm | eyelets
- 10011 | 1.8mx900mm | eyelets

Substation & Switchboard Drapes Class II PVC 650v



- 8008 | 850x850mm | magnetic
- 9007 | 600x450mm | plain
- 9008 | 400x300mm | plain
- 9019 | 1.2mx900mm | plain
- 10005 | 600x450mm | eyelets/mag
- 10006 | 1.2mx600mm | eyelets/mag
- 10020 | 900x900mm | eyelets
- 10021 | 2mx600mm | magnetic

Substation & Switchboard Drapes Class II 650v Cut-to-length



- 9001 | 12mx1.2mx2mm | PVC
- 9009 | 12mx1.2mx2mm | EPDM

Sold by the metre

Cable End Covers Class II PVC 650v



- 19001 | 180x110mm
- 19002 | 245x190mm
- 19003 | 230x110mm




MATS & COVERS

Bags PVC - Zipper

- 1. | 26014 | Line Cover Bag | 1.4mx400x100mm
- 2. | 26015 | Ground Mat Bag | 1.1mx150x100mm



Fits up to 5x1.2m long Line Covers



Fits standard 1mx1m Ground Mat

Clamp Polypropylene

YS-211-3-5 | 220x115x22mm




Straps Velcro

- 25005 | 500x50mm
- 25006 | 1mx50mm



Studs



Sold each not pair

- 1. | 24003 | Magnet
- 2. | PB4 | Standard Stud
- 3. | PB5-A | Male Press Stud
- 4. | PB5-B | Female Press Stud





HEIGHT SAFETY & RESCUE



- Pole Top and Tower Rescue Kits and components

- Low Voltage Switchboard Rescue Kits and components

- Latest comfort style Linesman Safety Harnesses, Australian leading brands

- EWP/ Live Line Harness

- Australian Standards approved lightweight Climbing Helmet with Air Vents

- Easy adjusting Pole Straps, shock absorbing Lanyards

- Friction Descenders, EWP Descender Kits, Double Brake Descenders

- Rescue Bags & Boxes
Pouches
Knives
Gloves
Cutters
Crooks



HEIGHT SAFETY & RESCUE

Pole Top Rescue Kit (WA)

11009 | 1x Bag, 1x CPR card, 1x Safety Knife, 1x Parrot Beak Cutter, 1x Pole Strap, 1x Rope, 1x Snap Hook, 1x Crook.



Pole Top Rescue Kit (NSW)

11006 | 1x Bag, 1x CPR card, 1x Body Belt & Pole Strap, 1x Knife, 1x Rope, 1x Rubber Gloves.



Pole Top Rescue Kit (QLD)

11007 | 1x Bag, 1x CPR card, 1x Body Belt, 1x Knife, 1x Parrot Beak Cutters, 1x Pole strap, 1x Rope, 1x Tool Pouch, 1x Rubber Gloves.



Pole Top Rescue Kit (VIC & TAS)

11015 | 1x Bag, 1x CPR card, 1x Anchor Strap, 1x Body Belt and Pole Strap, 1x Pliers, 1x Rope, 1x Parrot Beak Cutters, 1x Riggers Gloves, 1x Webbing Cutter, 1x Rubber Gloves.





HEIGHT SAFETY & RESCUE

Switchboard Rescue Kit

11002 | 1x Bag, 1x CPR Card, 1x Crook, 1x Torch, 1x Isolate Here Sign,
1x Trauma Dressing, 1x Fire Blanket, 1x Rubber Gloves



EWP Escape Kit

11014 | Rescue Kit | 20m rope

Replacement
Rope available on
application



Tower Rescue Kit

11018 | 1x Rope Bag, 1x 80m Kernmantle Rope C/W eye/label, 1x Mini Hauler, 1x Rescue Yolk (Patient Recovery),
1x Anchor Strap, 1x Double Brake Decender "No Worries", 3x Karabiners.





HEIGHT SAFETY & RESCUE

Exofit Nex™ Tower Workers Harness



- HAR-NEX - S | Small
- HAR-NEX - M | Medium
- HAR-NEX - L | Large
- HAR-NEX - XL | Extra Large

- Padded waist & buttock strap
- Quick release buckles with web lock
- Meets **AS 1891.1**

Delta Live Line EWP Harness



- HAR-EWP - S | Small
- HAR-EWP - M | Medium
- HAR-EWP - L | Large
- HAR-EWP - XL | Extra Large

- Lightweight design
- Leather buckle insulating pads
- Quick release leg straps
- Meets **AS 1891.1**

Utility Harness

HAR-YB | Linesman Harness | c/w Fall Arrest Attachment Points



Dorsal extension strap

Meets **AS 1891.1**





HEIGHT SAFETY & RESCUE

Pole Straps

1. PS-BK | 2.5m Double Action Steel Hooks
2. PS-BLACK | 3.5m Webbing Alloy Double Action Hook-Linesman
3. PS-BLUE | 3.5m Webbing Alloy Double Action Hook-Linesman




Suspension Trauma Strap

TS-1 |



Lanyards

1. LYD | 1.7m Elasticated Double Action Hook EWP
2. LYD-1 | 1.7m EZ Stop Twin Tail Adjustment Large Double Hook
3. LYD-2 | 2m Twin Lanyard, Large Alloy Hooks
4. LYD-3 | 2m Adjustable Steel Hooks





HEIGHT SAFETY & RESCUE

Anchor Straps

1. | ANC-ST | 1.2m webbing
2. | ANC-ST-1 | 1.2m orange/black Rescue
3. | ANC-ST-2 | 1.8m orange/black Rescue-Desc-Pretzel
4. | ANC-ST-3 | 1m Heavy Duty Webbing C/W "D" ring



Karabiners

1. | KAR-3L | Kong Steel Triple Lock
35KN - 26.5 Gate
2. | KAR-OVAL | Steel Karabiner Oval



Lad Safe Device

- LAD-1 | LAD Safe Device for SALA permanent Ladder systems



Descender

- DES-1 | 170x105mm |
Rescue Double Brake
"No Worries" Descender
Alloy & S/S construction



Dual Yoke

- DY-1 | 250mm
Rescue, Steel Hooks



Helmet ABS

- HELM-W | 51-62cm White



AS 1801 Approved

Haul Track

- HT-1 | 2m - 6.1 Ratio
C/W Ascender
Rope & Bag



Vertical Rope Grab

- ROPE-GRB | COBRA + ZORBA
with R-119 c/w





HEIGHT SAFETY & RESCUE

Kernmantle Response Rescue Ropes

ROPE-K-11 | 200mx11mm Thimble (Cut-to-Length)

ROPE-K-13 | 200mx13mm Thimble (Cut-to-Length)



Sold by the metre

Rescue Kit Bags

26008 | Switchboard Bag | 155x290x138mm

26011 | Pole Top Box | 350x340x340mm

26013 | Pole Top Bag | 385x350x180mm



PPE & Equipment Bags

26032 | 65L | Zipper

26033 | 65L | Zipper

1.



2.



Rope Bag

26034 | 640x280mm | Draw String | PVC



Custom Bags
available on request
MOQ's apply



CLEANING & ACCESSORIES

Rubber Goods Cleaner

- Excellent cleaning power
- Harmless on rubber
- Non corrosive & non toxic
- Multiple packaging options
- No mixing required

Fibreglass Wax & Buff

- Suitable for use on Fibreglass Booms & Hot Sticks

- Fast-hazing Fibreglass Wax
- Buff easily to a shine



Hot Stick Wipes

- Pre-saturated, lint free wipe
- Does not adversely affect gloss coat
- No "Build-Up" over time
- Prevents water film in wet conditions
- Removes dirt, grease & grime

Boom Cleaner

- Pre-wash removes grease, tar, insects, debris
- Does not adversely affect gel coat and Boom

- Boom Wash Concentrate mixes with water
- Once cleaned, wax boom with Fibreglass Wax





CLEANING & ACCESSORIES

Pre-wash Boom Wipe

B-1



Boom Wipes

B-D72 | 72 per canister



Boom Wash Concentrate

BWC | 5 gallon Pail 20L



Rubber Goods Cleaner

RGB-35LR2 | 1 Quart Spray



Rubber Goods Cleaner

RBG-D72 | 72 wipes




Hot Stick Wipe

S-1 | in Sealed Foil Pouch



Fiberglass Wax

W1 | plus Buff Kit



Live Line Tool Wax

W-16 | 16 oz container





TOOLS & EQUIPMENT

- Premium Leather Tool Pouches

- RipStop Canvas Tool Buckets

- Bags constructed using heavy duty fasteners & fittings



- Pole Platform is light weight

- Large & stable platform

- Suitable for use on timber Poles

- Insulated deck & Aluminum frame



TOOLS & EQUIPMENT

Leather Tool Pouch

26028 | 9 Pocket | Webbing Belt



Canvas Tool Buckets

26018 | 350x150x250 | 15 Internal Pockets
26022 | 380x290 | 2 External Pockets



Pole Platform

PP-AL | 870Lx440W | 150kg WWL





balmoral engineering